



GP
GENERAL PETROLEUM

RIN

www.generalpetroleum.de

Product Data Sheet (PDS)



SYNCROGEN POWER STEERING FLUID

Published By:

Technical Department of
General Petroleum FZE

Last Update Date:

4/1/2025

GP SYNCROGEN UNIVERSAL POWER STEERING FLUID is a high-performance fluid specially formulated for use in a wide range of power steering systems.

This lubricant is formulated with fully synthetic base oils and carefully selected additives to meet the challenging demands of an power steering fluid.

PERFORMANCE STANDARDS:

GP SYNCROGEN UNIVERSAL POWER STEERING meets and exceeds the requirements of the following specifications:

- ACURA/HONDA PN 08206-9002
- AUDWw G 004 012
- FORD WSS M2C204A
- CHRYSLER MS-11655B
- HYUNDAI/KIA PSF-3
- LAND ROVER LR003401
- NISSAN PSF-II
- BOSCH / ZF TE-ML 09

FEATURES & BENEFITS:

- Universal Full Synthetic Formula Ideal for Harsh Enivornments
- Reduce Friction, Noise & Premature Wear
- It avoids surge or sudden overload of circuits when starting in very cold weather
- Restore & Condition Seals to prevent Leaks
- Clean & Protect Power Steering System

APPLICATIONS:

- For heavy duties and passenger cars, Provides good Stability and control for Standard Driving Control.

TECHNICAL DATA

Sr. No	Characteristics	Test Method	Results
01	Appearance	VISUAL	B & C
02	Color	ASTM D-1500	<1.0
03	Density @ 15 C, g/ml	ASTM D-4052	0.853
04	Viscosity @ 40 C, cSt	ASTM D-445	37.8
05	Viscosity @ 100 C, cSt	ASTM D-445	7.40
06	Viscosity Index	ASTM D-2270	165
07	Flash Point, COC, C	ASTM D-92	222
08	Pour Point, C	ASTM D-97	-45

Health and Safety:

Based on available information, this product is not expected to produce adverse effects on health when used for the intended application, following the recommendations provided in the Material Safety Data Sheet (MSDS). MSDSs are available upon request. This product should not be used for purposes other than its intended use. If disposing of used product, take care to protect the environment.

Due to continual product research and development, the information contained herein is subject to change without notification. Typical Properties may vary slightly.