

www.generalpetroleum.de

Product Data Sheet (PDS)



GP PETROGEN FULLY SYNTHETIC OW16 API SP

Published By:

Technical Department of

General Petroleum FZE

Last Update Date:

1/8/2024

GP PETROGEN FULLY SYNTHETIC 0W16 API SP



GP PETROGEN FULLY SYNTHETIC 0W16 API SP is fully synthetic engine oil is tailored for smoother acceleration and provides outstanding engine wear protection even under the most demanding driving conditions

To meet the demands of today's most advanced vehicles – including downsized turbo engines prone to damage caused by LSPI – GP Petrogen fully Synthetic products have already been tested and approved to both API SP and ILSAC GF-6B specifications.

PERFORMANCE STANDARDS:

PETROGEN 0W16 meets and exceeds the requirements of the following specifications:

- API SN
- API SN PLUS
- API SP
- ILSAC GF-6B

FEATURES & BENEFITS:

- Heat Activated Anti-Wear Molecule provides high temperature wear protection while keeping your engine clean
- Better engine wear protection up to 65%*
- Improve engine efficiencies by reducing Engine Low Speed Pre-Ignition (LSPI)
- Based on Sequence IVB (Iron Wear) test result versus API SP engine test requirement. Result varies subject to engine, temperature and actual driving conditions.

GP PETROGEN FULLY SYNTHETIC 0W16 API SP



TECHNICAL DATA

Sr. No	Characteristics	Test Method	Results
01	Appearance	VISUAL	B & C
02	Color	ASTM D-1500	L 3.5
03	Density @ 15 C, g/ml	ASTM D-4052	0.850
04	Viscosity @ 40 C, cSt	ASTM D-445	37.32
05	Viscosity @ 100 C, cSt	ASTM D-445	7.2
06	Viscosity Index	ASTM D-2270	160
07	TBN, mg KOH/gm	ASTM D-2896	8.3
08	Flash Point, COC, C	ASTM D-92	220
09	Pour Point, C	ASTM D-97	-42
10	CCS Viscosity (mPa·s) @ -35 °C	ASTM D-2602	<6200

Health and Safety:

Based on available information, this product is not expected to produce adverse effects on health when used for the intended application, following the recommendations provided in the Material Safety Data Sheet (MSDS). MSDSs are available upon request. This product should not be used for purposes other than its intended use. If disposing of used product, take care to protect the environment.

Due to continual product research and development, the information contained herein is subject to change without notification. Typical Properties may vary slightly.

GP PETROGEN FULLY SYNTHETIC 0W16 API SP

